



ORTHOPEDIC ATHROSCOPY SYSTEM



PRODUCT RANGE

- Interference Screws
- Endo Buttons
- Suture Disk
- Peek ACL Screws
- Suture Anchors
- Tapes
- U Fiber
- Cannula

lithosmed@gmail.com | +2347053666407 | www.lithosmed.com



.....*Bridging the gap to qualitative healthcare*



Interference Screw With Head (Acl Screw) Titanium

4117.12	7.0mm Dia. X 20mm Length
4117.125	7.0mm Dia. X 25mm Length
4117.13	7.0mm Dia. X 30mm Length
4117.135	7.0mm Dia. X 35mm Length
4117.14	7.0mm Dia. X 40mm Length
4117.22	8.0mm Dia. X 20mm Length
4117.225	8.0mm Dia. X 25mm Length
4117.23	8.0mm Dia. X 30mm Length
4117.235	8.0mm Dia. X 35mm Length
4117.24	8.0mm Dia. X 40mm Length
4117.32	9.0mm Dia. X 20mm Length
4117.325	9.0mm Dia. X 25mm Length
4117.33	9.0mm Dia. X 30mm Length
4117.335	9.0mm Dia. X 35mm Length
4117.34	9.0mm Dia. X 40mm Length
4117.42	10.0mm Dia. X 20mm Length
4117.425	10.0mm Dia. X 25mm Length
4117.43	10.0mm Dia. X 30mm Length
4117.435	10.0mm Dia. X 35mm Length
4117.44	10.0mm Dia. X 40mm Length

Interference Screw Without Head (Acl Screw) Titanium

4117.52	7.0mm Dia. X 20mm Length
4117.525	7.0mm Dia. X 25mm Length
4117.53	7.0mm Dia. X 30mm Length
4117.535	7.0mm Dia. X 35mm Length
4117.54	7.0mm Dia. X 40mm Length
4117.62	8.0mm Dia. X 20mm Length
4117.625	8.0mm Dia. X 25mm Length
4117.63	8.0mm Dia. X 30mm Length
4117.635	8.0mm Dia. X 35mm Length
4117.64	8.0mm Dia. X 40mm Length
4117.72	9.0mm Dia. X 20mm Length
4117.725	9.0mm Dia. X 25mm Length
4117.73	9.0mm Dia. X 30mm Length
4117.735	9.0mm Dia. X 35mm Length
4117.74	9.0mm Dia. X 40mm Length
4117.82	10.0mm Dia. X 20mm Length
4117.825	10.0mm Dia. X 25mm Length
4117.83	10.0mm Dia. X 30mm Length
4117.835	10.0mm Dia. X 35mm Length
4117.84	10.0mm Dia. X 40mm Length

Interference Screw With Head (Acl Screw) SS

4117S.12	7.0mm Dia. X 20mm Length
4117S.125	7.0mm Dia. X 25mm Length
4117S.13	7.0mm Dia. X 30mm Length
4117S.135	7.0mm Dia. X 35mm Length
4117S.14	7.0mm Dia. X 40mm Length
4117S.22	8.0mm Dia. X 20mm Length
4117S.225	8.0mm Dia. X 25mm Length
4117S.23	8.0mm Dia. X 30mm Length
4117S.235	8.0mm Dia. X 35mm Length

4117S.24	8.0mm Dia. X 40mm Length
4117S.32	9.0mm Dia. X 20mm Length
4117S.325	9.0mm Dia. X 25mm Length
4117S.33	9.0mm Dia. X 30mm Length
4117S.335	9.0mm Dia. X 35mm Length
4117S.34	9.0mm Dia. X 40mm Length
4117S.42	10.0mm Dia. X 20mm Length
4117S.425	10.0mm Dia. X 25mm Length
4117S.43	10.0mm Dia. X 30mm Length
4117S.435	10.0mm Dia. X 35mm Length
4117S.44	10.0mm Dia. X 40mm Length

Interference Screw Without Head (Acl Screw) SS

4117S.52	7.0mm Dia. X 20mm Length
4117S.525	7.0mm Dia. X 25mm Length
4117S.53	7.0mm Dia. X 30mm Length
4117S.535	7.0mm Dia. X 35mm Length
4117S.54	7.0mm Dia. X 40mm Length
4117S.62	8.0mm Dia. X 20mm Length
4117S.625	8.0mm Dia. X 25mm Length
4117S.63	8.0mm Dia. X 30mm Length
4117S.635	8.0mm Dia. X 35mm Length
4117S.64	8.0mm Dia. X 40mm Length
4117S.72	9.0mm Dia. X 20mm Length
4117S.725	9.0mm Dia. X 25mm Length
4117S.73	9.0mm Dia. X 30mm Length
4117S.735	9.0mm Dia. X 35mm Length
4117S.74	9.0mm Dia. X 40mm Length
4117S.82	10.0mm Dia. X 20mm Length
4117S.825	10.0mm Dia. X 25mm Length
4117S.83	10.0mm Dia. X 30mm Length
4117S.835	10.0mm Dia. X 35mm Length
4117S.84	10.0mm Dia. X 40mm Length

Acl Interference Screw-Sharp thread-Non Sterile (Titanium)

JBA101.07.20	Ø7.0 mm x 20 mm Length
JBA101.07.25	Ø7.0 mm x 25 mm Length
JBA101.07.30	Ø7.0 mm x 30 mm Length
JBA101.08.20	Ø8.0 mm x 20 mm Length
JBA101.08.25	Ø8.0 mm x 25 mm Length
JBA101.08.30	Ø8.0 mm x 30 mm Length
JBA101.09.20	Ø9.0 mm x 20 mm Length
JBA101.09.25	Ø9.0 mm x 25 mm Length
JBA101.09.30	Ø9.0 mm x 30 mm Length
JBA101.10.20	Ø10.0 mm x 20 mm Length
JBA101.10.25	Ø10.0 mm x 25 mm Length
JBA101.11.30	Ø10.0 mm x 30 mm Length

Acl Interference Screw-Sharp thread- Sterile (Titanium)

JBA102.07.20	Ø7.0 mm x 20 mm Length
JBA102.07.25	Ø7.0 mm x 25 mm Length
JBA102.07.30	Ø7.0 mm x 30 mm Length
JBA102.08.20	Ø8.0 mm x 20 mm Length
JBA102.08.25	Ø8.0 mm x 25 mm Length
JBA102.08.30	Ø8.0 mm x 30 mm Length
JBA102.09.20	Ø9.0 mm x 20 mm Length
JBA102.09.25	Ø9.0 mm x 25 mm Length
JBA102.09.30	Ø9.0 mm x 30 mm Length
JBA102.10.20	Ø10.0 mm x 20 mm Length
JBA102.10.25	Ø10.0 mm x 25 mm Length
JBA102.10.30	Ø10.0 mm x 30 mm Length
JBA102.11.20	Ø11.0 mm x 20 mm Length
JBA102.11.25	Ø11.0 mm x 25 mm Length
JBA102.11.30	Ø11.0 mm x 30 mm Length

ACL Interference Screw-Blunt thread-Non Sterile (Titanium)- Special Requirement

JBA103.07.20	Ø7.0 mm x 20 mm Length
JBA103.07.25	Ø7.0 mm x 25 mm Length
JBA103.07.30	Ø7.0 mm x 30 mm Length
JBA103.08.20	Ø8.0 mm x 20 mm Length
JBA103.08.25	Ø8.0 mm x 25 mm Length
JBA103.08.30	Ø8.0 mm x 30 mm Length
JBA103.09.20	Ø9.0 mm x 20 mm Length
JBA103.09.25	Ø9.0 mm x 25 mm Length
JBA103.09.30	Ø9.0 mm x 30 mm Length
JBA103.10.20	Ø10.0 mm x 20 mm Length
JBA103.10.25	Ø10.0 mm x 25 mm Length
JBA103.10.30	Ø10.0 mm x 30 mm Length
JBA103.11.20	Ø11.0 mm x 20 mm Length
JBA103.11.25	Ø11.0 mm x 25 mm Length
JBA103.11.30	Ø11.0 mm x 30 mm Length

ACL Interference Screw-Blunt thread-Sterile (Titanium) Special Requirement

JBA104.07.20	Ø7.0 mm x 20 mm Length
JBA104.07.25	Ø7.0 mm x 25 mm Length
JBA104.07.30	Ø7.0 mm x 30 mm Length
JBA104.08.20	Ø8.0 mm x 20 mm Length
JBA104.08.25	Ø8.0 mm x 25 mm Length
JBA104.08.30	Ø8.0 mm x 30 mm Length
JBA104.09.20	Ø9.0 mm x 20 mm Length
JBA104.09.25	Ø9.0 mm x 25 mm Length
JBA104.09.30	Ø9.0 mm x 30 mm Length
JBA104.10.20	Ø10.0 mm x 20 mm Length
JBA104.10.25	Ø10.0 mm x 25 mm Length
JBA104.10.30	Ø10.0 mm x 30 mm Length

JBA105 Plain endo button without suture Loop- (Titanium)

JBA112 Arthroscopy staple



Bio ACL Interference Screw- Sterile


JBA114.07.24	Ø7.0 mm x 24 mm Length
JBA114.07.30	Ø7.0 mm x 30 mm Length
JBA114.08.24	Ø8.0 mm x 24 mm Length
JBA114.08.30	Ø8.0 mm x 30 mm Length
JBA114.09.24	Ø9.0 mm x 24 mm Length
JBA114.09.30	Ø9.0 mm x 30 mm Length
JBA114.11.35	Ø11 mm x 35 mm Length

JBA116 ACL Flex Rope Fixation Button

Headless ACL Cannulated Screw - Titanium - Sterile Pack

JBA119.07.20	Ø7.0 mm x 20 mm Length
JBA119.07.25	Ø7.0 mm x 25 mm Length
JBA119.07.30	Ø7.0 mm x 30 mm Length
JBA119.08.20	Ø8.0 mm x 20 mm Length

JBA119.08.25	Ø8.0 mm x 25 mm Length
JBA119.08.30	Ø8.0 mm x 30 mm Length
JBA119.09.20	Ø9.0 mm x 20 mm Length
JBA119.09.25	Ø9.0 mm x 25 mm Length
JBA119.09.30	Ø9.0 mm x 30 mm Length
JBA119.10.20	Ø10.0 mm x 20 mm Length
JBA119.10.25	Ø10.0 mm x 25 mm Length
JBA119.10.30	Ø10.0 mm x 30 mm Length
JBA119.11.20	Ø11.0 mm x 20 mm Length
JBA119.11.25	Ø11.0 mm x 25 mm Length
JBA119.11.30	Ø11.0 mm x 30 mm Length



JBAI.001 ACL-PCL Instrument SET

- JBAI.01 Main Zig
- JBAI.02 ACL Elbow Aimer
- JBAI.03 PCL Femoral
- JBAI.04 PCL Tibia
- JBAI.05 Angle Bullet
- JBAI.06 Graft Passing 2.4mm Drill bit
- JBAI.07 Graft passing pin (beath pin)
- JBAI.08 Cannulated Tibia Reamer, Dia 6.0 mm
- JBAI.09 Cannulated Tibia Reamer, Dia 7.0 mm
- JBAI.10 Cannulated Tibia Reamer, Dia 8.0 mm
- JBAI.11 Cannulated Tibia Reamer, Dia 9.0 mm
- JBAI.12 Cannulated Tibia Reamer, Dia 10.0 mm
- JBAI.13 Cannulated Tibia Reamer, Dia 11.0 mm
- JBAI.14 Cannulated femoral flwertip reamer Dia 6.0mm
- JBAI.15 Cannulated femoral flwertip reamer Dia 7.0mm
- JBAI.16 Cannulated femoral flwertip reamer Dia 8.0mm
- JBAI.17 Cannulated femoral flwertip reamer Dia 9.0mm
- JBAI.18 Cannulated femoral flwertip reamer Dia 10.0mm
- JBAI.19 Cannulated femoral flwertip reamer Dia 11.0mm
- JBAI.20 Cannulated Endoscopic Reamer dia 4.5mm
- JBAI.21 Depth Gauge for ACL/PCL reconstruction
- JBAI.22 Femoral Aimer 5mm
- JBAI.23 Femoral Aimer 7mm
- JBAI.24 Tunnel Plug 7-8 mm
- JBAI.25 Tunnel Plug 8-9mm
- JBAI.26 Tunnel Plug 9-10mm
- JBAI.27 Tunnel Dilator 7mm
- JBAI.28 Tunnel Dilator 8mm
- JBAI.29 Tunnel Dilator 9mm
- JBAI.30 T-handle for tunnel dilator
- JBAI.31 Cannulated Screw driver for biolock screw
- JBAI.32 Impactor for spiked ligament staple
- JBAI.33 Arthroscopic Probe
- JBAI.34 Microfracture Awl, 30
- JBAI.35 Microfracture Awl, 45
- JBAI.36 Microfracture Awl, 90

JBAI.37	Graft Prep Station
JBAI.38	Graft Sizing Block
JBAI.39	Tendor Stripper, Closed end, 6mm
JBAI.40	Tendor Stripper, Closed end, 7mm
JBAI.41	Straight Rasp
JBAI.42	Convex Rasp
JBAI.43	Femoral PCI Elevator
JBAI.44	Graphical case for Arthroscopy

15003.09.025	25 MM
15003.09.030	30 MM
15003.09.035	35 MM

ARTHROSCOPY IMPLANTS



ENDO BUTTON CONTINUOUS LOOP - TITNAIUM

15001.012	12 MM
15001.015	15 MM
15001.02	20 MM
15001.025	25 MM
15001.03	30 MM
15001.035	35 MM
15001.04	40 MM



ADJUSTABLE LOOP

15002.001	ADJUSTABLE LOOP
-----------	-----------------



7.0MM ACL INTERFERENCE SCREW.CANNULATED PEEK

15003.07.020	20MM
15003.07.025	25 MM
15003.07.030	30 MM
15003.07.035	35 MM

8.0MM ACL INTERFERENCE SCREW.CANNULATED PEEK

15003.08.020	20 MM
15003.08.025	25 MM
15003.08.030	30 MM
15003.08.035	35 MM

9.0MM ACL INTERFERENCE SCREW.CANNULATED PEEK

15003.09.020	20 MM
--------------	-------


10.0MM ACL INTERFERENCE SCREW.CANNULATED PEEK

15003.10.020	20 MM
15003.10.025	25 MM
15003.10.030	30 MM
15003.10.035	35 MM



LOOP WASHER

15005.001	LOOP WASHER
-----------	-------------



6.5MM TIBIAL POST FIXATION SCREW (TIT)

15006.02	20 MM
15006.025	25 MM
15006.03	30 MM
15006.035	35 MM
15006.04	40 MM



TIBIAL SUTURE DISK (TIT)

15007.D	D-HOLE
15007.R	ROUND HOLE



LOOP BUTTON (TIT)

15008.001	LOOP BUTTON
-----------	-------------



4.0MM LOW-PROFILE CANCELLOUS SCREW (TIT)

15009.025	25 MM
15009.03	30 MM
15009.035	35 MM
15009.04	40 MM
15009.045	45 MM

15009.05	50 MM
15009.055	55 MM
15009.06	60 MM



6.5MM LOW-PROFILE CANCELLOUS SCREW (TIT)

15010.025	25 MM
15010.03	30 MM
15010.035	35 MM
15010.04	40 MM
15010.045	45 MM
15010.05	50 MM
15010.055	55 MM
15010.06	60 MM



SPIKED WASHER (TIT)

15011.4.0	SPIKED WASHER FOR 4.0MM
15011.6.5	SPIKED WASHER FOR 6.5MM



SPIKED LIGAMENT STAPLE (TIT)

15012.S	SMALL
15012.M	MEDIUM
15012.L	LARGE



SUTURE ANCHOR LOADED WITH ONE PC FIBER (TIT)

5014.12.41	2.4 MM
15013.12.8	2.8 MM
15013.13.5	3.5 MM
15015.13.0	3.0 MM

SUTURE ANCHOR LOADED WITH ONE PC U-FIBER WITH NEEDLE (TIT)

15014.52.4	2.4 MM
15013.52.8	2.8 MM
15015.53.0	3.0 MM
15013.53.5	3.5 MM



DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC U-FIBER (TIT)

15016.12.8	2.8 MM
15016.13.5	3.5 MM

DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC U-FIBER WITH NEEDLE (TIT)

15016.52.8	2.8 MM
15016.53.5	3.5 MM



SUTURE ANCHOR LOADED WITH ONE PC U-FIBER (PEEK)

15017.12.8	2.8 MM
------------	--------

SUTURE ANCHOR LOADED WITH TWO PC U-FIBER (PEEK)

15017.23.0	3.0 MM
15017.23.5	3.5 MM



SUTURE ANCHOR KNOTLESS (PEEK)

15018.02.8	2.8 MM
------------	--------



DUAL THREAD SUTURE ANCHOR (TIT)

15020.25.01	5.0MM LOADED WITH TWO PC U-FIBER #2
15020.35.0	5.0MM LOADED WITH THREE PC U-FIBER #2

15020.55.0 5.0MM LOADED WITH TWO PC
 U-FIBER #2 WITH NEEDLE
 15020.26.5 6.5MM LOADED WITH TWO PC
 U-FIBER #2
 15020.56.5 6.5MM LOADED WITH TWO PC
 U-FIBER #2 WITH NEEDLE



SUTURE ANCHOR (TIT)

15021.25.0 5.0MM LOADED WITH TWO PC
 U-FIBER #2
 15021.35.0 5.0MM LOADED WITH THREE PC
 U-FIBER #2
 15021.55.0 5.0MM LOADED WITH TWO PC
 U-FIBER #2 WITH NEEDLE
 15021.26.5 6.5MM LOADED WITH TWO PC
 U-FIBER #2
 15021.36.5 6.5MM LOADED WITH THREE PC
 U-FIBER #2
 15021.56.5 6.5MM LOADED WITH TWO PC
 U-FIBER #2 WITH NEEDLE



SUTURE ANCHOR (PEEK)

15022.25.5 5.5MM LOADED WITH TWO PC
 U-FIBER
 15022.35.5 5.5MM LOADED WITH THREE PC
 U-FIBER



SUTURE ANCHOR (PEEK). KNOTLESS (PEEK) TIP

15023.P5.5 5.5 MM

SUTURE ANCHOR (PEEK). KNOTLESS (TIT) TIP

15023.T5.5 5.5 MM



U-FIBER

15024.001 USP #2, WITH NEEDLE(MO-6) ,WHITE
 36"
 15024.002 USP #2, WITH NEEDLE(MO-6) ,WHITE
 WITH BLACK TRACER, 36"
 15024.003 USP #5, WITH NEEDLE(MO-6) ,WHITE
 36"
 15024.004 USP #5, WITH NEEDLE(MO-6) ,WHITE
 WITH BLACK TRACER, 36"



TAPE

15025.001 TAPE SIZE 2MM, WHITE-BLACK,
 39",WORKING LENGTH 7.5"



DISPOSABLE CANNULA

15026.001 8.25 X 70MM DISPOSABLE CANNULA
 TROCAR POINT
 15026.002 8.25 X 90MM DISPOSABLE CANNULA
 TROCAR POINT